



**SUD & ATR GUIDANCE  
DSM-5/ICD-10  
IDAHO WITS TRANSITION**

# DSM-5/ICD-10 Summary of Changes

- Diagnosis List Screen
- Diagnosis on Encounter Record
- Diagnosis on Claim Item Screen

# Diagnosis List Screen

Diagnosis List



Add New Diagnosis



Edit Diagnosis

# Diagnosis List/Add New Diagnosis

“Review Prior Diagnosis” in the Administrative Actions box will allow viewing of previous entries in the multi-axial format. This feature will be available to aid in updating the new diagnosis requirements.

The “Review Prior Diagnosis” link will only be viewable on client records who have a diagnosis record entered prior to the 9/28/15 update, and will only be available for the first update of the diagnosis codes.

Actions	Principal Behavioral (Primary)	Principal Medical	Source	Created Date	Created By	Effective Date & Time	Diagnosing Clinician
	Alcohol Abuse		Discharge	7/7/2015	Willingham, Robert L., WA	7/7/2015 1:48 PM	
	Alcohol Abuse		Admission	7/6/2015	Buskey, Michelle, CADC	7/6/2015 12:49 PM	

Primary:   
Secondary:   
Tertiary:

Effective Date: 9/27/2015 Time: 1:40 PM  
Expiration Date:  Time:   
Diagnosing Clinician:   
GAF Score:

Behavioral Diagnosis	Code	Description	Comments	Principal

Medical Diagnosis	Code	Description	Comments	Principal

Psychosocial Diagnosis	Code	Description	Comments	Principal

Cancel Save Finish

Actions  
[Review Prior Diagnosis](#)

Primary: 305.00-Alcohol Abuse(DSM IV)  
Secondary:   
Tertiary:

Based on Clinical Impressions?   
Based on Clinical Impressions?   
Based on Clinical Impressions?

Axis I	Code	Description	Comments	Principal	Created/Updated

Axis II	Code	Description	Comments	Principal	Created/Updated

Axis III	Code	Description	Comments	Principal	Created/Updated

Axis IV	Code	Description	Comments	Principal	Created/Updated

Axis V:   
Based on Clinical Impressions?

Actions  
[Finish](#)

# Diagnosis List/Add New Diagnosis

Axis I-V will now reflect the DSM-5 categories of:

- Behavioral Diagnosis
- Medical Diagnosis
- Psychosocial Diagnosis

Client Diagnosis

Primary: 291.89-Alcohol-Induced Anxiety Disorder(DSM IV)      Based on Clinical Impressions?

Secondary:      Based on Clinical Impressions?

Tertiary:      Based on Clinical Impressions?

Axis I	Code	Description	Comments	Principal	Created/Updated
	291.89	Alcohol-Induced Anxiety Disorder		Yes	
Axis II	Code	Description	Comments	Principal	Created/Updated
Axis III	Code	Description	Comments	Principal	Created/Updated
Axis IV	Code	Description	Comments	Principal	Created/Updated
Axis V					

[Edit Axis Evaluation](#)     

DSM IV/ICD-9

Client Diagnosis Edit Diagnosis

Primary: F10.280-Alcohol dependence with alcohol-induced anxiety disorder(ICD)      Effective Date: 8/31/2015      Time: 11:26 AM

Secondary:      Expiration Date:      Time:      Diagnosing Clinician:      GAF Score:     

Tertiary:     

Behavioral Diagnosis	Code	Description	Comments	Principal
	F10.280	Alcohol dependence with alcohol-induced anxiety disorder		Yes
Medical Diagnosis	Code	Description	Comments	Principal
Psychosocial Diagnosis	Code	Description	Comments	Principal

Actions  
[Review Prior Diagnosis](#)

DSM 5/ICD-10

# Diagnosis List/Add New Diagnosis

Primary,  
Secondary and  
Tertiary Diagnosis  
may contain either  
ICD 9, 10 or both  
codes.

- ICD-10 codes will be the primary identifier in the diagnosis table.

Client Diagnosis

Primary  Based on Clinical Impressions?

Secondary  Based on Clinical Impressions?

Tertiary  Based on Clinical Impressions?

Axis	Code	Description	Comments	Principal	Created/Updated
Axis I	291.89	Alcohol-Induced Anxiety Disorder		Yes	
Axis II					
Axis III					
Axis IV					
Axis V					

[Edit Axis Evaluation](#)

DSM IV/ICD-9

Client Diagnosis [Edit Diagnosis](#)

Primary  Effective Date  Time

Secondary

Tertiary

Expiration Date  Time

Diagnosing Clinician

GAF Score

Behavioral Diagnosis	Code	Description	Comments	Principal
	F10.280	Alcohol dependence with alcohol-induced anxiety disorder		Yes
Medical Diagnosis				
Psychosocial Diagnosis				

[Actions](#)  
[Review Prior Diagnosis](#)

DSM 5/ICD-10

# Diagnosis List/Add New Diagnosis

The Primary Diagnosis will be a 'Read-Only' field.

- To change or select the primary diagnosis, select 'edit diagnosis'.
- "Diagnosing Clinician" field has been added.

Client Diagnosis

Primary: 291.89-Alcohol-Induced Anxiety Disorder(DSM IV) Based on Clinical Impressions?

Secondary: Based on Clinical Impressions?

Tertiary: Based on Clinical Impressions?

Axis I	Code	Description	Comments	Principal	Created/Updated
	291.89	Alcohol-Induced Anxiety Disorder		Yes	

Axis II	Code	Description	Comments	Principal	Created/Updated
---------	------	-------------	----------	-----------	-----------------

Axis III	Code	Description	Comments	Principal	Created/Updated
----------	------	-------------	----------	-----------	-----------------

Axis IV	Code	Description	Comments	Principal	Created/Updated
---------	------	-------------	----------	-----------	-----------------

Axis V:  Edit Axis Evaluation

Cancel Save Finish

DSM IV/ICD-9

Client Diagnosis

Primary: F10.280-Alcohol dependence with alcohol-induced anxiety disorder(ICD) Effective Date: 9/31/2015 Time: 11:26 AM

Secondary: Expiration Date: Time:

Tertiary: Diagnosing Clinician: GAF Score:

Behavioral Diagnosis	Code	Description	Comments	Principal
	F10.280	Alcohol dependence with alcohol-induced anxiety disorder		Yes

Medical Diagnosis	Code	Description	Comments	Principal
-------------------	------	-------------	----------	-----------

Psychosocial Diagnosis	Code	Description	Comments	Principal
------------------------	------	-------------	----------	-----------

Cancel Save Finish

Actions

[Review Prior Diagnosis](#)

DSM 5/ICD-10

# Admission/Client Diagnosis

Primary, Secondary and Tertiary Diagnosis may contain either ICD 9, 10 or both codes.

- ICD-10 codes will be the primary identifier in the diagnosis table. The codes identified with (ICD) after the description may have the ICD-9 code after the ICD-10 code. Not all ICD-10 codes will have a corresponding ICD-9 code.
- DSM IV values will expire on 9/27/15.

Client Diagnosis

Type Behavioral

Diagnosis

Principal Diagnosis Yes

Comments

Behavior	F55.0 Abuse of antacids(ICD)
Actions	F55.1 (305.90) Abuse of herbal or folk remedies(ICD)
	F55.1 Abuse of herbal or folk remedies(ICD)
	F55.2 (305.90) Abuse of laxatives(ICD)
	F55.2 Abuse of laxatives(ICD)
	F55.8 (305.90) Abuse of other non-psychoactive substances(ICD)
	F55.8 Abuse of other non-psychoactive substances(ICD)
	F55.3 (305.90) Abuse of steroids or hormones (ICD)
	F55.3 Abuse of steroids or hormones(ICD)
	F55.4 (305.90) Abuse of vitamins(ICD)

ICD-10 Codes

ICD-9 Codes

Code Identifier

Client Diagnosis

Type Behavioral

Diagnosis

Principal Diagnosis Yes

Comments

Behavior	F10.231 (291.U) Alcohol dependence with withdrawal delirium(ICD)
Actions	F10.230 (291.81) Alcohol dependence with withdrawal, uncomplicated(ICD)
	F10.239 (291.81) Alcohol dependence with withdrawal, unspecified(ICD)
	F10.21 Alcohol dependence, in remission(ICD)
	F10.20 (303.90) Alcohol dependence, uncomplicated(ICD)
	F10.20 Alcohol dependence, uncomplicated(ICD)
	303.00 Alcohol Intoxication(DSM IV)
	291.0 Alcohol Intoxication Delirium(DSM IV)
	F10.96 (291.1) Alcohol use, unsp w alcoh-induce persist amnesic disorder(ICD)
	F10.950 (291.5) Alcohol use, unsp w alcoh-induce psych disorder w delusions(ICD)

Entries with (DSM IV) after the description **should not** be used for billing and diagnoses. These values will not appear on the drop-down after the transition.

Entries with (ICD) after the description **should** be used for billing and diagnoses

# Diagnosis List/Add New Diagnosis

The “Effective Date” and “Time” fields have replaced the “Created and Updated” fields.

Client Diagnosis

Primary: 291.89-Alcohol-Induced Anxiety Disorder(DSM IV) Based on Clinical Impressions?

Secondary: Based on Clinical Impressions?

Tertiary: Based on Clinical Impressions?

Axis I	Code	Description	Comments	Principal	Created/Updated
	291.89	Alcohol-Induced Anxiety Disorder		Yes	
Axis II					
Axis III					
Axis IV					
Axis V					

Cancel Save Finish

DSM IV/ICD-9

Client Diagnosis Edit Diagnosis

Primary: F10.280-Alcohol dependence with alcohol-induced anxiety disorder(ICD) Effective Date: 8/31/2015 Time: 11:28 AM

Secondary:

Tertiary:

Expiration Date:  Time:

Diagnosing Clinician:

GAF Score:

Behavioral Diagnosis	Code	Description	Comments	Principal
	F10.280	Alcohol dependence with alcohol-induced anxiety disorder		Yes
Medical Diagnosis				
Psychosocial Diagnosis				

Cancel Save Finish

Actions

[Review Prior Diagnosis](#)

DSM-5/ICD-10

# Encounter Screen

▼ Client List



▼ Activity List



▼ Encounters



Add Encounter Record

# Encounter Screen

The Primary field will populate with the most recent Primary Diagnosis updated from the Diagnosis List.

Note Type

ENC ID  Created Date

Service

Parent Service

Program Name **Williams Treatment/ATR 4 : 12/1/2014 - 5/27/2015**

Service Location  Start Date  End Date

Start Time  End Time

Duration  # of Service Units/Sessions

Emergency

Pregnant No

Diagnoses for this Service

**Primary/291.89-Alcohol-Induced Anxiety Disorder(DSM IV)**

Secondary

Tertiary

Rendering Staff  Linder, Carissa, WA

Supervising Staff

Referring Phys

Administrative Actions

[Release to Billing](#)

DSM IV/ICD-9

Note Type

ENC ID  Created Date

Service

Parent Service

Program Name **Williams Treatment/ATR 4 : 12/1/2014 -**

Service Location  Start Date  End Date

Start Time  End Time

Duration  # of Service Units/Sessions

Emergency

Pregnant

Diagnoses for this Service

**Primary/F10.180-Alcohol abuse with alcohol-induced anxiety disorder(ICD)**

Secondary

Tertiary

Rendering Staff  Linder, Carissa, WA

Supervising Staff

Referring Phys

Administrative Actions

[Release to Billing](#)

DSM-5/ICD-10

# Claim Item Screen

▼ Agency



▼ Billing



Claim Item List

# Claim Item Screen

ICD-9 codes will be updated to ICD-10 codes in the Diagnoses Field on the Claim Item.

***-Claims with service dates before 10/1/15, will populate with DSM IV/ICD-9 codes.***

***-Claims with service dates of 10/1/2015 or after will populate with DSM-5/ICD10 codes.***

Profile for Claim Item # 4308 for Tiger, A

ENC ID: 9046  
Program: Adult Outpatient  
Diagnoses: 305.00 /  
Pregnant:  
Status: Released

Delivered Service: H0003/HF  
Service Start: 6/2/2015 12:00 AM  
Service End: 6/2/2015 12:00 AM  
Duration:  
# Sessions/Units: 1  
Rendering Staff: Buskey, Michelle

Service Fee  
Billing Units 1.00 X Rate / Unit 13.5000 = \$13.50

Group Enrollment DHW Adult [State General, 1]  
Tier Type Fee for Service

Service Category  
Payor Billing Service Drug/Alcohol Testing: H0003/HF  
Category

Service Location Office  
Unit Desc 1 unit = 1 test  
Authorization 2046-H0003 Available 256.50  
Available to pay this claim item: 256.5000

Administrative Actions  
[Awaiting Review](#) [Hold](#) [Reject \(Back Out\)](#)

FFS Type Fee for Service  
Cost Center  
Billing Note  
Encounter Post Date 6/9/2015  
Created Date 6/9/2015 1:30 PM

Cancel Save Finish

DSM IV/ICD-9

Profile for Claim Item # 4406 for Tiger, E

ENC ID: 9321  
Program: Adolescent Outpatient  
Diagnoses: F10.10 /  
Pregnant:  
Status: Released

Delivered Service: H0005/HZ/HF  
Service Start: 8/11/2015 9:00 AM  
Service End: 8/11/2015 10:00 AM  
Duration: 60 Min  
# Sessions/Units: 1  
Rendering Staff: Buskey, Michelle, CADC

Service Fee  
Billing Units 4.00 X Rate / Unit 6.2100 = \$24.84

Group Enrollment IVDU [Block Grant-DHW, 1]  
Tier Type Fee for Service

Service Category  
Payor Billing Service OP and IOP (Group): H0005/HZ/HF  
Category Outpatient

Service Location Non-residential Substance Abuse TX Facility  
Unit Desc 1 unit = 15 Min  
Authorization 5540-90847 Available 438.40  
Available to pay this claim item: 438.4000

Administrative Actions  
[Awaiting Review](#) [Hold](#) [Reject \(Back Out\)](#)

FFS Type Fee for Service  
Cost Center  
Billing Note  
Encounter Post Date 8/16/2015  
Created Date 8/16/2015 4:20 PM

Cancel Save Finish

DSM-5/ICD-10